

COUNTY OF LAC QUI PARLE  
APPLICATION FOR UTILITY PERMIT on  
COUNTY HIGHWAY RIGHT OF WAY

Board of County Commissioners  
Madison, Minnesota  
Attn: County Highway Engineer

C.S.A.H. \_\_\_\_\_  
C.R. \_\_\_\_\_

Application is hereby made for permission to place, construct and thereafter maintain a \_\_\_\_\_  
\_\_\_\_\_ along or across County Highway No. \_\_\_\_\_  
from \_\_\_\_\_  
to \_\_\_\_\_  
\_\_\_\_\_ feet from center line on the \_\_\_\_\_ (east, west, north or south) side of the county highway  
in accordance with the sketch shown on the inside hereof, or attached thereto.

**I. AERIAL CONSTRUCTION**

- |  |   |
|--|---|
| <input type="checkbox"/> Single pole             | <input type="checkbox"/> Open wire              |
| <input type="checkbox"/> H-Frame                 | <input type="checkbox"/> Cable                  |
| <input type="checkbox"/> Single pole and H-Frame | <input type="checkbox"/> Vertical               |
| <input type="checkbox"/> Steel tower             | <input type="checkbox"/> Cross-arm              |
| <input type="checkbox"/> Other _____             | <input type="checkbox"/> Vertical and cross-arm |

Voltage \_\_\_\_\_ Number of Conductors \_\_\_\_\_ Size of Conductors \_\_\_\_\_  
Minimum height of conductor: \_\_\_\_\_ ft. along highway \_\_\_\_\_ ft. at crossing over highway  
Extent and location of tree trimming and/or clearing \_\_\_\_\_

**II. UNDERGROUND CONSTRUCTION**

**CONDUIT**

- |  |   |
|--|---|
| <input type="checkbox"/> Multiple file | <input type="checkbox"/> Sectional concrete |
| <input type="checkbox"/> Transite      | <input type="checkbox"/> Steel pipe         |
| <input type="checkbox"/> Clay tile     | <input type="checkbox"/> Other              |

**CASING**

- Steel pipe    Sectional concrete    Other

Size \_\_\_\_\_ Depth \_\_\_\_\_  
Voltage \_\_\_\_\_ Number of Conductors \_\_\_\_\_ Size of Conductors \_\_\_\_\_

**METHOD OF INSTALLING UNDER ROADBEDS (if open trench, explain why necessary)**

- Open trench \_\_\_\_\_  
 Jacking    Boring    Pneuma Gopher

Extent and location of tree clearing \_\_\_\_\_  
 New Facility    Replacement Facility

**III.** Work to start on or after \_\_\_\_\_ and to be completed on or before \_\_\_\_\_

**IV.** The applicant in carrying on any and all of the work herein above mentioned or referred to in its application and in the Permit issued hereof, shall strictly conform to the terms of such Permit and the regulations of the Board of County Commissioners, as set forth herein together with the Special Provisions, all of which are made a part hereof. The applicant specifically agrees to be bound hereby. The applicant shall also comply with the regulations of all other governmental agencies for the protection of the public. The work shall be accomplished in a manner that will not be detrimental to the highway and that will safeguard the public.

Dated this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_ \_\_\_\_\_  
Name of Company making application

Signature \_\_\_\_\_ By \_\_\_\_\_ Title \_\_\_\_\_

Address \_\_\_\_\_ Phone No. \_\_\_\_\_

Email \_\_\_\_\_

# Rules and Regulations of Board of County Commissioners for Utilities on County Highways.

## DEFINITIONS

*Utility.* Under this order "utility" shall mean and include all Privately, publicly or co-operatively owned communication lines and facilities, any systems, lines and facilities for the distribution and transmission of electrical energy, oil, gas, water, sewer, steam and other pipe lines, railways, ditches, flumes or other structures which under the laws of this State or the ordinance of any town or city may be constructed, placed or maintained across, along or on county highway right of way. Dependent upon the meaning intended in the context, "Utility" shall also mean the utility company, inclusive of any wholly owned subsidiary.

## GENERAL

I. Except as otherwise permitted, utility construction and relocation on county highway right of way shall not be commenced until an application for a Permit has been made and such Permit granted. The Permit sketch shall show the location of the proposed utility with reference to county highway center line. A copy of the sketch shall be provided for each copy of such Permit.

II. Burning or disking operations and/or the use of chemicals to control or kill trees, brush and other vegetation is prohibited without prior approval from the County Highway Engineer.

III. All waterways and lines of drainage shall remain operative.

IV. Wherever topsoil and sod are disturbed they shall be replaced and maintained satisfactorily until the turf is established.

V. The utility facility and installation shall not interfere with any existing utility facilities on the county highway right of way.

VI. When necessary, barricades, warning devices and flagmen shall be provided by the Utility during all phases of their construction and maintenance operations on county highway right of way.

VII. At the time of construction of the utility and at the times of subsequent maintenance, prior approval shall be obtained from the County Highway Engineer for the cutting and trimming of trees within the county highway right of way. Wherever trees are cut the resulting stumps shall be removed unless otherwise provided in the Special Provisions of the Permit. Any holes caused by stump removal shall be backfilled, the area leveled and all the materials associated therewith disposed of outside the county highway right of way. The utility shall advise the County Highway Engineer at least 48 hours in advance of its intent to start clearing and grubbing operations so that proper supervision can be provided.

VIII. The Utility shall notify the County Highway Engineer of its intent to perform service and maintenance operations which will interfere with the flow of traffic on county highways, and shall obtain his approval prior to performing such operation. However, the Company may perform service and maintenance operations on county highways including opening and disturbing the surface of the right of way without prior approval in those instances where an emergency exists that is dangerous to the life or safety of the public and which requires immediate repair. The Utility shall take all necessary and reasonable safety measures to protect the traveling public and shall notify the County Highway Engineer at the earliest possible moment.

X. The Utility shall assume all liability for, and save the county, its agents and employees, harmless from any and all claims for damages, actions or causes of action arising out of the work to be done herein and the continuing uses by the Utility, including but not limited to the placing, constructing, reconstructing, maintaining and using of said utility under this application and Permit.

XI. The Board of County Commissioners may require the Utility, or its contractor, to furnish a deposit in the form of a certified check, a surety bond or corporate undertaking, in favor of the Board of County Commissioners of Lac qui Parle County, for any expense incurred by the County in the repairing of damage to any portion of the county highway right of way caused by work performed under a Permit, including any out of the ordinary engineering supervision and inspection expense provided by the county. In those instances wherein a deposit is required, the amount of the deposit shall be specified in the Special Provisions of the Permit. If a check is furnished, any monies remaining over and above such expense shall be returned to the applicant.

XII. The Permit as issued does not in any way imply an easement on private property.

XIII. The installations shall be made in conformity with all applicable laws, regulations and codes covering said installations. All installations shall be made in conformity With regulations of governmental agencies for the protection of the public.

XIV. Upon completion of an installation, the Utility shall restore the county highway right of way to its original condition. The Utility shall then notify the office of the County Highway Engineer of the completion of the work so that inspection can be made to determine its acceptability.

## AERIAL

I. There shall be only a single pole line on the county highway right of way on either side of the center line thereof.

II. Longitudinal installations on county highways shall normally be located in the outer five feet of the right of way. At crossing of the county highway, poles shall be placed at a minimum of thirty feet from the shoulder lines of the through roadbeds unless right of way widths are prohibitive to such location.

III. The location of all brace poles, anchors and anchor poles within the limits of the county highway right of way shall be approved by the County Highway Engineer.

IV. In those instances in which a Utility is issued a Permit or Permits for construction on both sides of the county highway right of way in a given area, such Permit is conditioned upon the Utility subsequently providing joint use to other Utilities upon reasonable terms mutually agreeable to the Utilities.

## UNDERGROUND

I. All crossings of the roadbeds of the county highways shall be made by boring inside a casing or carrier pipe, or by jacking, unless this procedure is modified in the Special Provisions of the Permit. The auger shall not lead the casing or carrier pipe by more than one inch. Open trenching shall be restricted to the area from 5 feet beyond the shoulder to the right of way line except as modified in the Special Provisions of the Permit.

IX. If at any time Lac qui Parle County, acting through its Board of County Commissioners, shall deem it necessary to make to make any improvements or changes on all or any part of the right of way of the county highway which affect a utility located on county highway right of way, then and in such event, the owner of the utility shall within 15 days after written notice from the Board of County Commissioners, or its authorized agent, proceed to alter, change, vacate or remove said utility from the county highway right of way so as to conform to said county highway changes and as directed by the Board of County Commissioners. Such work shall be done without any cost whatsoever to Lac qui Parle County and shall be completed within the date specified in said written notice. The Utility shall assume all liability and save Chippewa County harmless from any and all claims of damage of any nature whatsoever occasioned by reason of not having removed said utility within the time specified in said notice.

II. When pipes with bells or flanges are installed, the crossings of the roadbeds of the county highway shall be made by boring inside a conduit as provided in paragraph I of this section or jacking a conduit of sufficient diameter to permit threading the carrier pipe through it.

III. All voids caused by jacking or boring shall be filled by pressure grouting. The grout material shall consist of a sand-cement slurry of at least two sacks of cement per cubic yard a minimum of water to assure satisfactory placement.

IV. The underground utilities shall be so installed as virtually to preclude any necessity for disturbing the roadbeds to perform maintenance operations.

V. Underground installations shall be accomplished without damaging or destroying the principal root structure of specimen trees.

### **LOCATION SKETCH**

Show location of proposed facility in relation to the center line of the county highway and other pertinent features such as right of way line, shoulder line, curb line and edge of surfacing. The facility should also be referenced to adjacent land lines.

LAC QUI PARLE COUNTY  
Utility Permit

Reference: Project \_\_\_\_\_  
C.S.A.H. \_\_\_\_\_  
C.R. \_\_\_\_\_

In accordance with the application herein, a Utility Permit is granted to \_\_\_\_\_  
\_\_\_\_\_ to place, construct and thereafter maintain \_\_\_\_\_  
\_\_\_\_\_ on or across, or under the right of way of County Highway No. \_\_\_\_\_  
by the Department of Highways in the Special Provisions hereof.

SPECIAL PROVISIONS:

Approved \_\_\_\_\_  
(date)

Board of County Commissioners  
Madison, Minnesota

By \_\_\_\_\_  
Samuel A. Muntean, County Highway Engineer

Permit No. \_\_\_\_\_  
Certified Check No. \_\_\_\_\_  
Surety Bond No. \_\_\_\_\_  
Date of S. Bond or C. Check \_\_\_\_\_  
Bank or Bonding Co. \_\_\_\_\_  
Deposit Made by \_\_\_\_\_

# LAC QUI PARLE COUNTY HIGHWAY DEPARTMENT

422 5<sup>th</sup> AVE, Suite 301

MADISON, MINNESOTA 56256

TELEPHONE 320-598-3878

FAX 320-598-3020

## **SPECIAL PROVISIONS FOR THE PLACEMENT OF UNDERGROUND UTILITIES WITHIN THE RURAL COUNTY ROADWAY RIGHT-OF-WAY**

The Utility Owner shall assume all costs of furnishing, installing and maintaining the underground utility.

All underground utilities must be pushed under paved roadways with paved or aggregate shoulders, and paved approaches. Restore the roadway side slopes to original conditions with in-kind material either imported or found on site, and seed and/or sod in all disturbed topsoil areas.

Underground utilities placed a crossed gravel surfaced roadways and approaches, and within the roadway side slopes may be trenched or plowed.

### For Trenching Operation:

Restore all surfaces to original conditions with in-kind material either imported or found on site.

Within the roadway surface, replace the subgrade with approved compacted fill.

Compact the subgrade to original density.

Seed and/or sod in all disturbed topsoil areas.

### For Plowing Operation:

Restore all surfaces to original conditions with in-kind material either imported or found on site.

Compact the subgrade to original density.

Seed and/or sod in all disturbed topsoil areas.

Utility Owner shall be responsible for traffic control and proper installation as stated above. No work will be allowed from November 1st to April 30th without approval of the County Highway Engineer (or Representative).

Utility Owner must notify the County Highway Engineer (or Representative) when the installation is completed for final approval. If the roadway and/or roadway side slopes are not restored to satisfactory conditions, the County Highway Engineer can order the appropriate work to be done and the Utility Owner will be responsible for all cost.

Utility Owner is responsible to make a Gopher-One Call prior to any work being started within the county right-of-way.

In the event the County does any road improvement, the Utility Owner will be responsible to move or adjust the utility at their expense, unless stated otherwise in State Statues.

Tile outlet allowed to outlet into the roadway ditch shall be staked and riprap by the Tile Owner.

Representative is the Maintenance Supervisor at (320) 894-2483.

# LAC QUI PARLE COUNTY HIGHWAY DEPARTMENT

422 5<sup>th</sup> AVE, Suite 301

MADISON, MINNESOTA 56256

TELEPHONE 320-598-3878

FAX 320-598-3020

## SPECIAL PROVISIONS FOR THE PLACEMENT OF UNDERGROUND UTILITIES WITHIN THE MUNICIPAL COUNTY ROADWAY RIGHT-OF-WAY

The Utility Owner shall assume all costs of furnishing, installing and maintaining the underground utility.

All underground utilities must be pushed under paved roadways with paved or aggregate shoulders, and paved approaches. Restore the roadway side slopes to original conditions with in-kind material either imported or found on site, and seed and/or sod in all disturbed topsoil areas.

If the utility cannot be pushed under the paved roadway the following shall apply:

Depth of aggregate base and bituminous pavement shall be replaced to match in place. Wearing Course shall be classified as the top 1 ½ inch bituminous layer.

(1) Typical Pavement 0 to 5 Years old

Compact subgrade to original density

Compact aggregate base to original density

Bituminous Pavement

Full lane replacement of non-wearing course to nearest construction joint or transverse crack

Full street width, mill and overlay the wearing course. The minimum length is the width of the roadway.

(2) Typical Pavement 5 Years old to 5 Year Project Plan

Compact subgrade to original density

Compact aggregate base to original density

Bituminous Pavement

Full lane replacement of non-wearing course and wearing course to nearest construction joint or transverse crack

(3) Typical Pavement 5 Year Project Plan

Compact subgrade to original density

Compact aggregate base to original density

Bituminous Pavement

Replace the non-wearing course and wearing course for trench width plus 2 feet either side of trench cut

(4) Typical Pavement 2 Year Project Plan or Temporary Surface

Compact subgrade to original density

Compact aggregate base to original density

Bituminous Pavement

Replace the non-wearing course and wearing course for trench width only

Utility Owner shall be responsible for traffic control and proper installation as stated above, no work will be allowed from November 1st to April 30th without approval of the County Highway Engineer (or Representative).

Utility Owner must notify the County Highway Engineer (or Representative) when the installation is completed for final approval. If the roadway and/or roadway side slopes are not restored to satisfactory conditions, the County Highway Engineer can order the appropriate work to be done and the Utility Owner will be responsible for all costs.

Utility Owner is responsible to make a Gopher-One Call prior to any work being started within the county right-of-way.

In the event the County does any road improvements, the Utility Owner will be responsible to move or adjust the utility at their expense, unless stated otherwise in State Statutes.

Representative is the Maintenance Supervisor at (320) 894-2483.